



MUC1 gene

mucin 1, cell surface associated

Normal Function

The *MUC1* gene provides instructions for making a protein called mucin 1. This protein is one of several mucin proteins that make up mucus, a slippery substance that lubricates and protects the lining of the airways, digestive system, reproductive system, and other organs and tissues. In addition to its role in mucus, mucin 1 is involved in cell signaling and kidney development.

Although most mucin proteins are released from the cell, mucin 1 spans the cell membrane. It is found in epithelial cells, which are the cells that line the surfaces and cavities of the body. In particular, mucin 1 is found in the respiratory tract, female reproductive organs, and gastrointestinal tract. Like other mucins, mucin 1 has a region called the mucin domain that contains repeated stretches of protein building blocks (amino acids); the number of repeats can vary from 20 to 100. This protein is modified by the addition of numerous chains of sugar molecules, which are attached to certain amino acids in the mucin domain. The sugars spread out from the protein like branches on a tree and prevent access to the cell surface below, protecting the body from foreign invaders. The sugars also attract water molecules, helping lubricate and hydrate the tissues.

The portion of mucin 1 that reaches inside the cell, called the cytoplasmic tail (or MUC1-CT), relays signals from outside the cell to the cell's nucleus; these signals instruct the cell to undergo certain changes. Through this process, mucin 1 is thought to be involved in cell growth and division (proliferation), helping cells stick to one another (cell adhesion), cell movement (motility), and cell survival. The cytoplasmic tail can also detach from the cell membrane and move to the nucleus, although the mechanism is unclear. Some researchers suggest that, in the nucleus, MUC1-CT helps control the activity of other genes. In addition, mucin 1 is present in cells that form the kidneys and is thought to play a role in development of these organs.

Health Conditions Related to Genetic Changes

medullary cystic kidney disease type 1


Mutations in the *MUC1* gene cause medullary cystic kidney disease type 1 (MCKD1). This condition is characterized by impairment of kidney function that usually begins in adulthood and progressively worsens. Some affected individuals develop fluid-filled pockets in the kidneys called medullary cysts.

This condition occurs when a single DNA building block (nucleotide) called cytosine is inserted into the *MUC1* gene. These insertions occur in one particular region of the gene, the part that provides instructions for the repeating mucin domain. These mutations lead to the production of an altered mucin 1 protein, although it is unclear how this change causes kidney disease. Why the effects of *MUC1* gene mutations are limited to the kidneys is also unknown.

Chromosomal Location

Cytogenetic Location: 1q22, which is the long (q) arm of chromosome 1 at position 22

Molecular Location: base pairs 155,185,824 to 155,192,915 on chromosome 1 (Homo sapiens Annotation Release 108, GRCh38.p7) (NCBI)



Credit: Genome Decoration Page/NCBI

Other Names for This Gene

- ADMCKD
- ADMCKD1
- breast carcinoma-associated antigen DF3
- CA 15-3
- cancer antigen 15-3
- carcinoma-associated mucin
- CD227
- DF3 antigen
- EMA
- episialin
- H23 antigen
- H23AG
- KL-6

- krebs von den Lungen-6
- MAM6
- MCD
- MCKD
- MUC-1
- MUC-1/SEC
- MUC-1/X
- MUC1/ZD
- MUC1_HUMAN
- mucin-1
- mucin 1, transmembrane
- peanut-reactive urinary mucin
- PEM
- PEMT
- polymorphic epithelial mucin
- PUM
- tumor-associated epithelial membrane antigen
- tumor associated epithelial mucin
- tumor-associated mucin

Additional Information & Resources

Educational Resources

- Immunobiology: The Immune System in Health and Disease (fifth edition, 2001):
The Epithelial Surfaces of the Body Are the First Defenses Against Infection
<https://www.ncbi.nlm.nih.gov/books/NBK27105/#A154>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28MUC1%5BTI%5D%29+AND+%28%28Genes%5BMH%5D%29+OR+%28Genetic+Phenomena%5BMH%5D%29%29+AND+english%5BIa%5D+AND+human%5Bmh%5D+AND+%22last+720+days%22%5Bdp%5D>

OMIM

- MUCIN 1, TRANSMEMBRANE
<http://omim.org/entry/158340>

Research Resources

- Atlas of Genetics and Cytogenetics in Oncology and Haematology
http://atlasgeneticsoncology.org/Genes/GC_MUC1.html
- ClinVar
<https://www.ncbi.nlm.nih.gov/clinvar?term=MUC1%5Bgene%5D>
- HGNC Gene Family: CD molecules
<http://www.genenames.org/cgi-bin/genefamilies/set/471>
- HGNC Gene Family: Mucins
<http://www.genenames.org/cgi-bin/genefamilies/set/648>
- HGNC Gene Symbol Report
http://www.genenames.org/cgi-bin/gene_symbol_report?q=data/hgnc_data.php&hgnc_id=7508
- NCBI Gene
<https://www.ncbi.nlm.nih.gov/gene/4582>
- UniProt
<http://www.uniprot.org/uniprot/P15941>

Sources for This Summary

- Fanni D, Fanos V, Monga G, Gerosa C, Nemolato S, Locci A, Van Eyken P, Iacovidou N, Faa G. MUC1 in mesenchymal-to-epithelial transition during human nephrogenesis: changing the fate of renal progenitor/stem cells? J Matern Fetal Neonatal Med. 2011 Oct;24 Suppl 2:63-6. doi: 10.3109/14767058.2011.613159.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/21966898>
- Fanni D, Iacovidou N, Locci A, Gerosa C, Nemolato S, Van Eyken P, Monga G, Mellou S, Faa G, Fanos V. MUC1 marks collecting tubules, renal vesicles, comma- and S-shaped bodies in human developing kidney tubules, renal vesicles, comma- and s-shaped bodies in human kidney. Eur J Histochem. 2012 Oct 26;56(4):e40. doi: 10.4081/ejh.2012.e40.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/23361236>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3567759/>
- Hattrop CL, Gendler SJ. Structure and function of the cell surface (tethered) mucins. Annu Rev Physiol. 2008;70:431-57. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/17850209>
- Hudson MJ, Stamp GW, Chaudhary KS, Hewitt R, Stubbs AP, Abel PD, Lalani EN. Human MUC1 mucin: a potent glandular morphogen. J Pathol. 2001 Jul;194(3):373-83.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/11439371>

- OMIM: MUCIN 1, TRANSMEMBRANE
<http://omim.org/entry/158340>
 - Singh PK, Hollingsworth MA. Cell surface-associated mucins in signal transduction. Trends Cell Biol. 2006 Sep;16(9):467-76. Epub 2006 Aug 9. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16904320>
-

Reprinted from Genetics Home Reference:
<https://ghr.nlm.nih.gov/gene/MUC1>

Reviewed: June 2013

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services